

F3 SERIES

PALFINGER

LIFETIME EXCELLENCE

POWERFUL, MANOEUVRABLE AND FASTER TO THE FINISH. AN IMPRESSIVE PERFORMANCE PACKAGE FOR INCREASED PRODUCTIVITY AND SAFETY.



LIFETIME EXCELLENCE

PALFINGER TRUCK-MOUNTED FORKLIFTS OFFER MAXIMUM RELIABILITY. HIGH-QUALITY PRODUCTS AND EXCELLENT SERVICE – ALL TAKEN CARE OF BY OUR HIGHLY RESPONSIBLE TEAM. COMPETENT SOLUTIONS TO MEET YOUR DAILY REQUIREMENTS – FOR THE ENTIRE SERVICE LIFE OF YOUR FORKLIFT.

BETTER
SOLUTIONS

BETTER
EFFICIENCY

BETTER
ERGONOMICS

HIGHER VALUE
RETENTION



HIGHER
AVAILABILITY

HIGHER
SERVICEABILITY

BETTER
ECOLOGY

MORE
RELIABILITY



For further information please visit: www.palfinger.com/thebrand


HIGH PERFORMANCE COMBINED WITH LOW DEAD WEIGHT

- Easy and time-saving maintenance
- Maximum manoeuvrability
- Safety and comfort
- Long-term value retention
- Best-possible visibility
- Simple electrics as well as reliable and stable technology
- Very low dead weight
- Easy loading and unloading from one side



IMPRESSIVE ARGUMENTS

10 HIGHLIGHTS



VERY LOW DEAD WEIGHT

- Perfect combination of performance and dead weight for increased productivity, enhanced safety and reduced costs



MAXIMUM MANOEUVRABILITY AND LONG SERVICE LIFE

- 180° steering angle ensures swift and effective working, even in extremely confined spaces
- Simple design for minimal wear and maintenance costs



SAFETY AND COMFORT

- Generous legroom and centrally positioned seat
- Ergonomically arranged controls ensure swift, fatigue-free work



BEST-POSSIBLE VISIBILITY

- Free-view mast makes work easier in any situation
- Perfect view even of the right-hand side of the vehicle



SIMPLE ELECTRONICS AS WELL AS RELIABLE AND STABLE TECHNOLOGY

- Protected components thanks to a compact design and enclosed chassis construction
- Double-chrome-plated piston rods
- Geomet®-coated mast chains
- Directly flanged pumps



RAPID RESPONSE, ANYTIME, ANYWHERE

- Optimum spare parts service
- 1,500 PALFINGER service support points worldwide
- Qualified customer service employees



LONG-TERM VALUE RETENTION THANKS TO THE BEST-POSSIBLE CORROSION PROTECTION

- Extensive surface pre-treatment
- Full, cathodic immersion primer coating (core process)
- Powder coating process to finish



EASY LOADING AND UNLOADING FROM ONE SIDE

- Promotes efficient work and saves money



EASY AND TIME-SAVING MAINTENANCE

- Clearly laid out and easily accessible inspection and maintenance points



STRONG SERVICES = INCREASED PRODUCTIVITY

- Increased capacity usage thanks to improved flexibility
- Stronger customer ties with additional service
- Fast, independent deliveries with pinpoint accuracy



OUR CUSTOMERS' REQUIREMENTS TRANSFORMED INTO HIGH-QUALITY TECHNOLOGY




F3 151 PRO

Load capacity	1500 kg/600 mm
Engine	3-cyl. diesel engine
Lift height	2200 to 3100 mm
Dead weight	from 1340 kg (without forks)

FEATURES

- Sensitive traction drive for fragile loads
- Very low dead weight



POTENTIAL APPLICATIONS

- Food and beverages
- Rolls of carpet




F3 153 PRO

Load capacity	1500 kg/600 mm
Engine	3-cyl. diesel engine
Lift height	3100 mm
Dead weight	from 1555 kg (without forks)

FEATURES

- The lightest all-wheel forklift on the market



POTENTIAL APPLICATIONS

- Potting compost and garden products
- Supermarket facilities
- Lightweight building materials (e.g. insulating materials)




F3 201 PRO

Load capacity	2000 kg/1300 mm
Engine	3-cyl. diesel engine
Lift height	3000 to 3600 mm
Dead weight	from 1660 kg (without forks)

FEATURES

- Powerful and manoeuvrable



POTENTIAL APPLICATIONS

- Recycling
- Workshop waste disposal
- Bottled Gas




F3 203 PX

Load capacity	2000 kg/1370 mm
Engine	3 and 4-cyl. diesel engine
Lift height	3100 to 3700 mm
Dead weight	from 1820 kg (without forks)

FEATURES

- Flexible and versatile
- Unloading from one side



POTENTIAL APPLICATIONS

- Medium-weight building materials (e.g. bricks, roofing materials)
- Recycling (electrical waste, hazardous substances)
- Technical and medical gases




F3 253 PX

Load capacity	2500 kg/1450 mm
Engine	3 and 4-cyl. diesel engine
Lift height	3100 to 3700 mm
Dead weight	from 1865 kg (without forks)

FEATURES

- The best dead-weight-to-payload ratio
- 2.5 t lifting power in front of the wheels – guaranteed!



POTENTIAL APPLICATIONS

- Heavy building materials (e.g. concrete building materials, glass, mini silos)
- Large Packages with extended Load Centres

STRONG, FLEXIBLE AND RELIABLE

DOWN TO THE VERY LAST TECHNICAL DETAIL




F3 203 PX 4W / F3 253 PX 4W

Load capacity	2000/2500 kg/1450 mm
Engine	4-cyl. diesel engine
Lift height	3100 to 3700 mm
Dead weight	from 2018 kg (without forks)

FEATURES

- Excellent all-round visibility
- Safe handling of long and bulky goods

Basic dimensions
F3 253 4W



POTENTIAL APPLICATIONS

- Sawn timber
- Sections and pipes
- Long products




F3 203 GT-S

Load capacity	2000 kg/1400 mm
Engine	3 and 4-cyl. diesel engine
Lift height	3100 to 3700 mm
Dead weight	from 1850 kg (without forks)

FEATURES

- The lightest 3WD transportable forklift with scissor-reach
- Slim Forks for handling disposable pallets and special racks



POTENTIAL APPLICATIONS

- Gates and doors
- Motorbikes
- Heating pellets




F3 253 GT-S

Load capacity	2500 kg/1400 mm
Engine	4-cyl. diesel engine
Lift height	3100 to 3700 mm
Dead weight	from 2215 kg (without forks)

FEATURES

- The transportable forklift for rough terrain
- Long scissor-reach extension facilitates unloading from one side



POTENTIAL APPLICATIONS

- Heavy building materials (e.g. precast concrete components)
- Agricultural goods




F3 203 GT-S 4W / F3 253 GT-S 4W

Load capacity	2000/2500 kg/1400 mm
Engine	4-cyl. diesel engine
Lift height	3100 to 3700 mm
Dead weight	from 2080 kg (without forks)

FEATURES

- Fast scissor-reach system
- Rapid activation/deactivation of 4-way mode – saving you time and money every day

Basic dimensions
F3 253 GT-S 4W



POTENTIAL APPLICATIONS


- Solar technology
- Sawn timber
- Sections and pipes




MOUNTING OPTIONS

CRAYLER F3 MODELS FIT ON

- Sliding beam mounts
- Chain mounts



Sliding beam mount



Chain mount

